

— SETUP GUIDE —

KEY:	No riser needed	1/16" Shock Pad	1/8" riser	1/4" riser	3/8" riser	Bushing change	Not Recommended
------	-----------------	-----------------	------------	------------	------------	----------------	-----------------

SETUP GUIDE															
DECK	TRUCK	85mm Caguama	80mm Kegel	75mm In Heat	75mm Durian	73mm The Cage	72.5mm Moronga	70mm 4President	70mm Stimulus	69mm The Kilmer	66mm The Keanu	65mm Fat Free	62mm Skiffs	58mm Onsens	
	Paris 180mm, 50° (outer WB)	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/8" riser	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP
	Paris 180mm, 43° (outer WB)							1/4" riser	1/4" riser	1/4" riser	1/8" riser	1/8" riser	1/8" riser	1/16" SP	1/16" SP
	Caliber 10°, 50° (outer WB)							1/4" riser	1/4" riser	1/4" riser	1/8" riser	1/8" riser	1/16" SP	1/16" SP	1/16" SP
	Caliber 10°, 44° (outer WB)							1/4" riser	1/4" riser	1/4" riser	1/8" riser	1/8" riser	1/16" SP	1/16" SP	1/16" SP
	Bear 180mm, 52° (outer WB)	1/4" riser	1/8" riser	1/8" riser	1/8" riser	1/8" riser	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP
	Indy 159 (inner WB)											1/4" riser	1/4" riser		
	Indy 169 (inner WB)													1/8" riser	1/8" riser
	Paris 165mm, 50° (inner WB)	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP
	Paris 165mm, 43° (inner WB)			1/8" riser	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP			
	Carver CX.4 / C2.4	3/8" riser	1/4" riser										1/16" SP	1/16" SP	1/16" SP
	Paris 150mm, 50°	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	
	Paris 165mm, 50°	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP
	Paris 165mm, 43°	1/4" riser	1/8" riser	1/8" riser	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP
	Paris 180mm, 50°	1/4" riser	Bushing change	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP
	Carver CX.4 / C2.4	3/8" riser						1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP		
	Paris 180mm, 50°		Bushing change	Bushing change	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	
	Bear 180mm, 52°		1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	
	Caliber 10°, 50°									1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	
	Paris 165mm, 50°									No riser		No riser	No riser	No riser	No riser
	Paris 180mm, 50° (inner WB)	1/8" riser	1/8" riser	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	
	Bear 180mm, 52° (inner WB)	1/8" riser	1/8" riser	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	
	Paris 180mm, 50° (inner WB)	1/4" riser	1/8" riser	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	
	Paris 180mm, 43° (inner WB)	Bushing change	Bushing change	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/8" riser	1/8" riser	1/8" riser	
	Caliber 10°, 50° (outer WB)		1/8" riser	1/8" riser	1/8" riser	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	
	Caliber 10°, 44° (outer WB)			1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/8" riser	1/8" riser	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	
	Bear 180mm, 52° (either WB)	1/4" riser	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	
	Ronin 180mm, 42.5° (inner WB)		Bushing change	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/8" riser	1/8" riser	1/16" SP	
	Atlas 180mm, 48° (outer WB)		Bushing change	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/4" riser	1/8" riser	1/8" riser	1/8" riser	
	Paris 165mm, 50° (inner WB)	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP
Paris 165mm, 43° (inner WB)	1/4" riser	1/8" riser	1/8" riser	1/8" riser	1/8" riser	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	1/16" SP	
	Paris 180mm, 50°	No riser	No riser	No riser	No riser	No riser	No riser	No riser	No riser	No riser	No riser	No riser	No riser		
	Bear 180mm, 52°	1/8" riser	No riser	No riser	No riser	No riser	No riser	No riser	No riser	No riser	No riser	No riser	No riser		
	Caliber 10°, 50°		1/8" riser	No riser	No riser	No riser	No riser	No riser	No riser	No riser	No riser	No riser			

Note: Recommendations are based on an "average" rider weight of 150-200 lbs, stock bushings, and neutral kingpin tightness (no slop or excessive bushing preload). Compatibility and wheel clearance may vary for heavier riders or extremely loose truck settings. Always check for wheelbite and make any necessary

No Wheelbite Bushing Setup for 80mm+ Wheels (Using Nipple Bushings on a Drop-Through Deck)

